



CEILING TILES & BOARDS



MPC ACOUSTIC GYPSUM TILES

Description

MPC manufactures *GYPTILE* – acoustic gypsum perforated ceiling tiles. These tiles are produced from gypsum boards with high purity natural gypsum core which are produced in accordance to EN 520 and ASTM C 1396 standards.

Testing Standard:

- ASTM E84, Classified under Class A.
- ASTM C423-02a, NRC : 0.55

Areas of Application:

- Housing & Commercial Buildings
- Offices & Administrative Buildings
- Schools
- Hospitals
- Prefabricated Buildings etc.

System:

- Lay In – Exposed.

Available Sizes:

- 600 X 600mm : For Imperial System
- 600 X 1210mm : For Imperial System
- 595 X 595mm : For Metric System
- 595 X 1195mm : For Metric System
- Note : Other Sizes on request

Specification:


- Edge : Square
- Thickness : 9.0 / 9.5mm, 12.0 / 12.50mm
- Perforation : R6 / 15 (Round 6mm, 15mm c/c)
S3 / 8.3 (Square 3 X 3, 8.3mm c/c)
- Face : White Painted
- Back : Sound Absorbent felt




Installation Guide

- The wall angles or w angles first fixed to the required ceiling levels.
- The hangers (seam / rod) are then fixed to the ceiling slabs at 1200 / 1220 mm c.c.
- The main runner (12ft) are then attached to the hanger and aligned to the ceiling level required at distances of 1200 / 1220 mm c.c.
- The cross tee (4ft) are then attached to the main runner (12ft).
- The cross tee (2ft) are attached to the cross tee (4ft).
- The Lay In tiles are then fixed.


Gyptile Perforated




Square Hole



Round Hole





Perforation : S3 / 8.3
(Square 3 X 3mm, 8.3mm c / c)




Perforation : R6 / 15
(Round 6mm, 15mm c / c)


Gyptile Perforated With Grid System



Gyptile Perforated (Lay In)



Item No.	Description	
1.	Wall Angle	
1A.	W Angle	
2.	Main Runner (12 ft)	
3.	Cross Tee (4 ft)	
4.	Cross Tee (2 ft)	
5.	Fisher Steel 6MM	Rod System
5A.	Threaded Rod 6MM	
5B.	Tee Rod Hanger	
5C.	Nut 6MM	
6.	Ceiling Nail	Seam System
6A.	Seam	
6B.	Double Spring Clips	
7.	Gyptile Perforated	



Exposed System Metric / Imperial (Lay In)

MPC ACOUSTIC GYPSUM TILES



MPC ACOUSTIC GYPSUM TILES



Metal Product Company's quality system for production and development is
ISO 9001, 14001, 45001 Certified.



Metal Product Company many years of experience of the optimal utilization of our
steel production system. We place this know how at the disposal of the building
trade both through our printed information materials and personal advice
given to the major projects



P. O. Box 3973, Safat 13040, State of Kuwait, Tel.: +965 2473 1287 / 2473 1291 / 2473 7916, Fax: +965 2473 7932

Email: sales@mpckw.com / info@mpckw.com

www.mpckw.com